

Package: processmonitR (via r-universe)

October 8, 2026

Type Package

Title Building Process Monitoring Dashboards

Version 0.1.0

Date 2017-06-18

Description Functions for constructing dashboards for business process monitoring. Building on the event log objects class from package 'bupaR'. Allows the use to assemble custom shiny dashboards based on process data.

License MIT + file LICENSE

Encoding UTF-8

Depends R (>= 3.0)

LazyData true

Imports magrittr, ggplot2, dplyr, bupaR, edeaR, shiny, miniUI

RoxygenNote 6.0.1

URL <https://www.bupar.net>

Suggests knitr, rmarkdown

VignetteBuilder knitr

Config/pak/sysreqs cmake make libicu-dev libuv1-dev zlib1g-dev

Repository <https://bupaverse.r-universe.dev>

Date/Publication 2018-06-30 05:51:16 UTC

RemoteUrl <https://github.com/bupaverse/processmonitr>

RemoteRef HEAD

RemoteSha 4750e59845b292d0a999c046ca28235a9be7dfcc

Contents

activity_dashboard	2
performance_dashboard	2
processmonitR	2
resource_dashboard	3
rework_dashboard	3

Index[4](#)

activity_dashboard	<i>Activity Dashboard</i>
--------------------	---------------------------

Description

Activity Dashboard

Usage

```
activity_dashboard(eventlog)
```

Arguments

eventlog	Event log to be used for dashboard
----------	------------------------------------

performance_dashboard	<i>Performance Dashboard</i>
-----------------------	------------------------------

Description

Performance Dashboard

Usage

```
performance_dashboard(eventlog)
```

Arguments

eventlog	Event log to be used for dashboard
----------	------------------------------------

processmonitR	<i>processmonitR - Building dashboards for process monitoring in R</i>
---------------	--

Description

Functions for constructing dashboards for business process monitoring. Building on the event log objects class from package bupaR. Allows the use to assemble custom shiny dashboards based on process data.

resource_dashboard	<i>Resource Dashboard</i>
--------------------	---------------------------

Description

Resource Dashboard

Usage

resource_dashboard(eventlog)

Arguments

eventlog Event log to be used for dashboard

rework_dashboard	<i>Rework Dashboard</i>
------------------	-------------------------

Description

Rework Dashboard

Usage

rework_dashboard(eventlog)

Arguments

eventlog Event log to be used for dashboard

Index

activity_dashboard, [2](#)

performance_dashboard, [2](#)

processmonitR, [2](#)

processmonitR-package (processmonitR), [2](#)

resource_dashboard, [3](#)

rework_dashboard, [3](#)